

NUVA

**PVC-free rigid floor** 

### **CERAMIN**<sup>®</sup>

# NUVA

























#### \_INTRODUCTION

\_Floors for a better tomorrow\_**06** 

02

\_DESIGN

\_Precisely designed\_**08**\_ High performance digital printing\_**09**\_Interior trends\_**10** 

03

#### **\_HEALTHY LIVING**

\_Sustainable with no sacrifices\_14
\_The future of flooring starts with CERAMIN\_15
\_Healthy living\_16

04

#### \_FEATURES

\_Aesthetics meets maximum functionality\_18
 \_Plank composition clicking and gluing\_20
 \_An alliance of a lifetime\_22
 \_Bring on the water\_23

05

#### \_NUVA

\_Next generation CERAMIN\_24
\_Clicking and Gluing: Our plank sizes\_26
\_Collection ESSENTIAL\_28
\_Collection ETERNAL\_46
\_Collection SELECTED\_74
\_Collection HERRINGBONE\_102
\_Collection ROCK\_118
\_\_Collection overview\_142

06

#### \_TECHNOLOGY

\_Installation: Clicking or gluing\_146
 \_High-Class clicking installation systems\_147
\_CERAMIN Flex - Professional gluing installation system\_148
 \_Selection guide\_150
 \_Technical data clicking\_152
 \_Technical data gluing\_154

07

\_SERVICE

\_Our expertise\_**156** 

N

## O1\_INTRODUCTION

### \_FLOORS FOR A BETTER TOMORROW

As a leading German manufacturer of wall and floor coverings, CLASSEN stands for technological leadership and sustainability. True to the company slogan, around 2,000 employees worldwide are committed to a sustainable future in all areas of the value chain. With great passion and expertise, they achieve outstanding results - from the conservation of resources and the long life cycle to the complete recycling of healthy-living wall and floor coverings.

CLASSEN deliberately avoids the use of chlorine, PVC and plasticisers in its healthy-living CERAMIN®-based wall and floor coverings. With CERAMIN, CLASSEN has developed a material that consists largely of recycled plastics and is 100 per cent recyclable. In this way, CLASSEN makes an exemplary contribution to the circular economy.





### **DIGITAL PRINTING**

In contrast to traditional printing processes, digital printing enables fast and flexible production. The printing technology offers outstanding print quality and ensures brilliant colours and razor-sharp details. Modern digital printing processes are not only efficient, but also environmentally friendly.

Our CERAMIN floor coverings are 100% digitally printed. By using solvent-free colours and reducing material waste, we make an active contribution to environmental protection. Thanks to digital printing, we are able to create designs with a natural variety of planks - up to 28 different planks per decor are possible!

### **\_HIGH PERFORMANCE**

## 02\_DESIGN

#### \_PRECISELY DESIGNED

The CLASSEN Design Centre at our headquarters in Kaisersesch is the creative centre of our entire company. This is where all decors are carefully conceived, developed and designed by hand. Our designers collect ideas from all over the world's beautiful natural surroundings and bring them to your home.

From visiting the nearby oak forest to processing the wood in our workshop and scanning the designs with our high-performance scanner, the design development process is sometimes hard work until the desired result and quality are achieved.














#### **\_INTERIOR TRENDS**

Interior design and sustainability always walk hand in hand when it comes to floor design. Customers are asking for more sustainable flooring products that are both environmentally friendly and durable. The latter also applies to the design of the floor.

The trend is to choose a design that doesn't get boring quickly: replacing a floor after a few years because you no longer like the colour or grain is outdated.

The bestseller by far: oak decors in various colour gradations and grains. Not only does it look high-quality, it also harmonises perfectly with the latest furnishing trends and colours.









NUVA ETERNAL Velvet Oak Brown

02\_DESIGN\_INTERIOR TRENDS 02\_DESIGN\_INTERIOR TRENDS







NUVA HERINGBONE Walnut Red Brown







NUVA HERINGBONE Velvet Oak Brown

12

## 03\_HEALTHY LIVING

### \_SUSTAINABLE WITH NO SACRIFICES

PVC is repeatedly criticised for its negative effects on our health and the environment. This is why CLASSEN consistently decided against the production and processing of PVC years ago.

With the development of the CERAMIN material, CLASSEN now offers a floor covering that is not only PVC-free, but also free from chlorine, phthalates and other plasticisers. This makes the material ideal for healthy and health-conscious living.










#### \_THE FUTURE OF FLOORING STARTS WITH CERAMIN

CERAMIN floor coverings consist of at least 25% recycled materials, so-called recyclates. The recycled polypropylene used in CERAMIN was previously a yoghurt pot, a tomato peel or a detergent packaging, for example.

CERAMIN is also recyclable after its service life. In addition to recycling in a new flooring product, this also means that the raw material can be reused outside the flooring industry.



1

\_HEALTHY LIVING

Healthy living is an increasingly relevant topic, because

Whether it's a new house, renovation or refurbishment of existing buildings, healthy living is becoming increasingly important. CERAMIN-based floors, such

as *NUVA*, are completely healthy to live with and are particularly suitable for allergy sufferers. The floor coverings do not contain any harmful plasticisers that could be released into the air and pose a health risk.

we spend 80 to 90 % of our lives indoors and breathe an average of 20,000 times a day. Floors take up a large area in a room and therefore have a significant influence

on the indoor climate and healthy living.

100 % PVC-FREE

CERAMIN is PVC- and plasticiser-free.

The EPD (Environmental Product Declaration) of CERAMIN provides quantitative information about the environmental performance of the product.




CERAMIN consists of

40% polypropylene,

60%

100%



We use solvent-free inks to print on our cardboard boxes.



We breathe an average of

20,000

times a day.

CERAMIN floors meet the requirements of the eco-Institut label, the Blue Angel environmental label, as well as A+ and Greenguard.



98.5%

of rejects can be reused in production.

Plastship rates CERAMIN as "very good recyclable".



We spend

90%

of our lives are spent indoors. CERAMIN floors don't release any substances that are harmful to health.



**CERAMIN** contains

25%

recycled PP. This has been confirmed by the Recyclass by Plastship certification.



CLASSEN dispenses with

30

of shrink film a year and uses solid cardboard packaging instead.



We save

25,000t

of crude oil by using PP recyclates. CLASSEN currently uses 26,000 tonnes of recyclates a year.



### 04\_FEATURES

### \_AESTHETICS MEETS MAXIMUM FUNCTIONALITY

Look and technology complement each other at *NUVA*. The structured, ultra-matt surface, which even appears matt at the bottom of the pores, is designed to realistically reflect the decor below and create a natural feel.

All NUVA collections for gluing and NUVA Selected, Rock and Herringbone for clicking are equipped with a bevel in the wear layer. This means that the colour and design of the plank are also visible in the bevel. The overall result is a calm and uniform surface appearance.

*NUVA* Essential and Eternal for clicking are equipped with a classic, lacquered bevel. This makes the plank stand out visually and emphasises the plank look.




18

### \_PLANK COMPOSITION CLICKING AND GLUING


The hybrid surface of *NUVA* has a multi-layer structure. It consists of a polypropylene-based, transparent wear layer on the one hand and a textured and excimer lacquer layer on the other, which is carefully matched to the underlying decor.

The hybrid composition of the surface ensures that the surface is resistant and protects the floor from abrasion, stains and scratches.

#### \_CLICKING



#### \_GLUING



#### \_AN ALLIANCE OF A LIFETIME

Whether Essential, Eternal, Selected or Rock, *NUVA* for clicking is equipped with an integrated 1 mm impact sound insulation. This eliminates the need for an additional insulating underlay. Not only does this save a step in the installation process, but it also ensures a firm connection between the plank and the impact sound insulation. It also makes storage and logistics easier and more efficient.

Another advantage is that the entire floor covering is still recyclable at the end of its service life. Like CERAMIN, the integrated impact sound insulation is based on polyolefins and can therefore be easily recycled together with the floor covering.






1 mm impact sound insulation



#### **\_BRING ON THE WATER**

Similar to high-quality outdoor clothing, the difference between "water resistant" and "waterproof" is also of great importance for floor coverings. The weak point is not the material itself, but the connections - in the case of floor coverings, these are the joints. The materials used in the industry for the core boards of spc or rigid floors are usually water-resistant, but the joints between the individual planks are not completely waterproof. This means that there is a risk of water penetrating through the joints and damaging the subfloor.

NUVA Selected and Rock for clicking meet this challenge. This is where our megaloc-aqua-protect technology, which has been tried and tested for years in our laminate flooring, is utilised. The special shape of the connection prevents water from penetrating through the connecting joints of the floor and thus contributes to a carefree and worry-free living environment.



### 140 47

## 05**\_NUVA**

#### **NEXT GENERATION CERAMIN**

NUVA not only stands out thanks to its numerous technological advances, such as a bevel in the wear layer, but above all thanks to the authentic and natural designs that enable maximum flexibility in terms of design thanks to digital printing.

From elegant dark walnut decors to modern stone looks, *NUVA* harmoniously combines aesthetic demands with functional sophistication.

One significant innovation is that you now have a choice: "clicking or gluing"? Where there were previously restrictions in terms of the installation method, you can now choose from our modular system, depending on your application, whether you want to use the decor as an innovative click system or as a dryback for full-surface gluing.

#### UNOBTRUSIVELY MODERN

ultramatt surface



### DESIGN AT ITS BEST

Developed in the CLASSEN design centre



### TOGETHER UNBEATABLE

NUVA for clicking with integrated impact sound insulation



#### REMARKABLY AUTHENTIC

100%

digitally printed decors



#### TAKING FLOORING FURTHER

The choice is yours: "Clicking or Gluing"

### DURABLE CONNECTION

NUVA for gluing is fully glued to the subfloor



### FLOORING WITH FUNCTION

From usage class 32 to 34 and 42



#### PERFECT HARMONY

Bevel in the wear layer



### MADE IN GERMANY


00%

control over all ingredients

#### **DESIGN AND SIZE VARIETY**

59

Designs



4

Strengths



5,5 mn



5,0 mm





Different formats

### **ESSENTIAL**



1290 × 173 × 4,6 mm



1290 × 210 × 2,5 mm

### **ETERNAL**



1290 × 246 × 5 mm



1290 × 253 × 2,5 mm

### **SELECTED**



1290 × 203 × 5,5 mm



1290 × 210 × 2,5 mm

### **HERRINGBONE**



635 × 126 × 2,5 mm

### ROCK



776 × 387 × 5.5 mm



780 × 398 × 2,5 mm



595 × 595 × 2,5 mm



1190 × 595 × 2,5 mm


C = CLICKING

**G** = GLUING

C = CLICKING

**G** = GLUING

### NUVA











INSTALLATION IMPACT SOUND SYSTEM INSULATION

LACQUERED BEVEL

USAGE CLASS 32







SQUARE EDGE




BEVEL IN WEARLAYER



USAGE CLASS 32

## **ESSENTIAL**




















PLAIN OAK


Greige



**6** 1290 × 173 × 4,6 mm Art. No.: **\_65251** 















Brown



1290 × 173 × 4,6 mm Art. No.: **\_65252** 





Brown











**AUTUMN OAK** 


Beige




**6** 1290 × 173 × 4,6 mm Art. No.: **\_65253** 



















**6** 1290 × 173 × 4,6 mm Art. No.: **\_65250** 





### NUVA



#### CLICKING









INSTALLATION IMPACT SOUND SYSTEM INSULATION

LACQUERED BEVEL

USAGE CLASS 33

1290 × 246 × 5 mm

#### GLUING







SQUARE EDGE



BEVEL IN WEARLAYER



USAGE CLASS 33

1290 × 253 × 2,5 mm

ETERNAL




















#### SCANDINAVIAN OAK Beige



**6** 1290 × 246 × 5 mm Art. No.: **\_65208** 














SOFT OAK


Grey Brown




**6** 1290 × 246 × 5 mm Art. No.: **\_65209** 

















### **COTTON OAK**

Brown



× 2.5 mm









**BARREL OAK** 


Brown




**6** 1290 × 246 × 5 mm Art. No.: **\_65213** 

















SMOKED OAK

Taupe



**6** 1290 × 246 × 5 mm Art. No.: **\_65215** 











### **VELVET OAK**

Brown



**6** 1290 × 246 × 5 mm Art. No.: **\_65217** 



**6** 1290 × 253 × 2,5 mm Art. No.: **\_65165** 

71







VUVA

# NUVA



# CLICKING









INSTALLATION IMPACT SOUND SYSTEM INSULATION

BEVEL IN WEARLAYER

USAGE CLASS 34

# GLUING







SQUARE EDGE



BEVEL IN WEARLAYER



USAGE CLASS 34/42

# **SELECTED**

















**PURE OAK** 

Brown




**6** 1290 × 203 × 5,5 mm Art. No.: **\_65235** 

















Brown



**O** 1290 × 203 × 5,5 mm Art. No.: **\_65237** 













# SOFT OAK

Beige



**6** 1290 × 203 × 5,5 mm Art. No.: **\_65239** 














**PURE OAK** Mid Brown




**6** 1290 × 203 × 5,5 mm Art. No.: **\_65241** 

















**PURE OAK** Grey Brown



**6** 1290 × 203 × 5,5 mm Art. No.: **\_65243** 











**SOFT OAK** Dark Brown











# NUVA



### CLICKING

NUVA **HERRINGBONE** is only available for gluing.

### GLUING



FULL-SURFACE BONDING



SQUARE EDGE



BEVEL IN WEARLAYER



USAGE CLASS 34/42

635 × 126 × 2,5 mm

# HERRINGBONE


















# **COTTON OAK**

Brown




**6**35 × 126 × 2,5 mm Art. No.: **\_65200** 







**SOFT OAK** Mid Brown



**6**35 × 126 × 2,5 mm Art. No.: **\_65202** 







**VELVET OAK** 

Brown




**6**35 × 126 × 2,5 mm Art. No.: **\_65203** 





# NUVA



# CLICKING









INSTALLATION IMPACT SOUND SYSTEM INSULATION

WEARLAYER

USAGE CLASS 34

# GLUING







SQUARE EDGE



BEVEL IN WEARLAYER



USAGE CLASS 34/42

780 × 398 × 2,5 mm

1190 × 595 × 2,5 mm




















# MARBLE

White




**6** 776 × 387 × 5,5 mm Art. No.: **\_65219** 




**6** 780 × 398 × 2,5 mm Art. No.: **\_65183** 














# TRAVERTINE


Greige




**6** 776 × 387 × 5,5 mm Art. No.: **\_65221** 



**6** 780 × 398 × 2,5 mm Art. No.: **\_65185**  Grey







595 × 595 × 2,5 mm

1190 × 595 × 2,5 mm





# CARRARA

Grey




**6** 776 × 387 × 5,5 mm Art. No.: **\_65223** 





**6** 780 × 398 × 2,5 mm Art. No.: **\_65187** 

595 × 595 × 2,5 mm Art. No.: **\_65151** 















# **CEMENT**Dark Grey




**6** 776 × 387 × 5,5 mm Art. No.: **\_65225** 



**6** 780 × 398 × 2,5 mm Art. No.: **\_65189** 














MINERAL Dark Grey





**6** 776 × 387 × 5,5 mm Art. No.: **\_65227** 



**6** 780 × 398 × 2,5 mm Art. No.: **\_65191** 









**6** 780 × 398 × 2,5 mm Art. No.: **\_65192**  595 × 595 × 2,5 mm Art. No.: **\_65154**  1190 × 595 × 2,5 mm Art. No.: **\_65198** 



PLAIN OAK Greige

**ESSENTIAL** 

1290 × 173 × 4,6 mm Art. No:\_**65251** 

0

1290 × 210 × 2,5 mm Art. No: \_**65232** 

0

0

1290 × 210 × 2,5 mm Art. No: \_**65181** 

0

1290 × 173 × 4,6 mm Art. No::\_**65247** 

0

1290 × 173 × 4,6 mm Art. No::\_**65249** 

0

COTTON OAK Beige

SOFT OAK Mid Brown

1290 × 173 × 4,6 mm Art. No:\_**65252** 1290 × 210 × 2,5 mm Art. No: \_**65233** 0

ORGANIC OAK Brown

11290 × 210 × 2,5 mm Art. No.:\_**65180** 

SCAND. OAK Beige

COTTON OAK Brown

SMOKED OAK Taupe

ALDER Beige

VIBRANT OAK Brown

SOFT OAK Grey

1290 × 253 × 2,5 mm Art. No.: **\_65155** 

1290 × 253 × 2,5 mm Art. No:\_**65157** 

1290 × 253 × 2,5 mm Art. No:\_**65161** 

0

1290 × 253 × 2,5 mm Art. No:\_**65165** 

0

1290 × 246 × 5 mm Art. No.: \_**65213** 

0

1290 × 246 × 5 mm Art. No.:\_**65217** 

0

1290 × 253 × 2,5 mm Art. No.:\_**65158** 1290 × 246 × 5 mm Art. No.:\_**65210** 

1290 × 173 × 4,6 mm Art. No: \_**65250** 0 0

SOFT OAK Black Brown

1290 × 210 × 2,5 mm Art. No: \_**65182** 

SILK OAK Brown

0

1290 × 173 × 4,6 mm Art. No:\_**65248** 0 0

**ETERNAL** 

AUTUMN OAK Brown

1290 × 246 × 5 mm Art. No::\_**65207** 

0

1290 × 246 × 5 mm Art. No.: **\_65212** 

0

1290 × 246 × 5 mm Art. No.:\_**65216** 

0

1290 × 246 × 5 mm Art. No.: \_**65209** 

1290 × 253 × 2,5 mm Art. No.: **\_65162** 

0

1290 × 253 × 2,5 mm Art. No:\_**65165** 

0

1290 × 246 × 5 mm Art. No::\_**65214** 

0

1290 × 246 × 5 mm Art. No:.\_**65218** 

0

0

1290 × 246 × 5 mm Art. No.: \_**65211** 

0

1290 × 246 × 5 mm Art. No.:\_**65215** 

0

0

1290 × 253 × 2,5 mm Art. No:\_**65159** 

0

1290 × 253 × 2,5 mm Art. No: \_**65163** 

0

**BOTANIC OAK** Brown

VELVET OAK Greige

1290 × 253 × 2,5 mm Art. No:\_**65156** 1290 × 246 × 5 mm Art. No.:\_**65208** 

0

1290 × 253 × 2,5 mm Art. No.: \_**65160** 

0

1290 × 253 × 2,5 mm Art. No: \_**65164** 

0

142

SOFT OAK Grey Brown

BARREL OAK Brown

VELVET OAK Brown

0 0

0 0

**SELECTED** 

PURE OAK Brown

SOFT OAK Beige

PURE OAK Grey Brown



0

1290 × 203 × 5,5 mm Art. No.: \_**65239** 

0

1290 × 203 × 5,5 mm Art. No.: \_**65243** 

0

1290 × 210 × 2,5 mm Art. No.: \_**65167** 

0

1290 × 210 × 2,5 mm Art. No.: \_**65171** 

0

1290 × 210 × 2,5 mm Art. No::\_**65175** 

0

1290 × 203 × 5,5 mm Art. No.:\_**65236** 0

1290 × 203 × 5,5 mm Art. No.: \_**65240** 

0

1290 × 203 × 5,5 mm Art. No.: \_**65244** 

0

1290 × 210 × 2,5 mm Art. No::\_**65172** 

0

1290 × 210 × 2,5 mm Art. No.:\_**65176** 

0

143

COTTON OAK Brown

WALNUT Brown

COTTON OAK Dark Brown

1290 × 210 × 2,5 mm Art. No.:\_**65168** 0

**AUTUMN OAK** Brown

PURE OAK Mid Brown

SOFT OAK Dark Brown

1290 × 203 × 5,5 mm Art. No.:\_**65237** 0

1290 × 203 × 5,5 mm Art. No: \_**65241** 

0

1290 × 203 × 5,5 mm Art. No.: \_**65245** 

0

1290 × 210 × 2,5 mm Art. No: \_**65173** 

0

1290 × 210 × 2,5 mm Art. No:\_**65177** 

0

11290 × 210 × 2,5 mm Art. No.:\_**65169** 0

COTTAGE OAK Beige

CANYON OAK Brown

WALNUT Red Brown

0

1290 × 203 × 5,5 mm Art. No.: \_**65242** 

0

1290 × 203 × 5,5 mm Art. No.: \_**65246** 

0

1290 × 203 × 5,5 mm Art. No.:\_**65238** 

1290 × 210 × 2,5 mm Art. No.:\_**65170** 

0

1290 × 210 × 2,5 mm Art. No::\_**65174** 

0

11290 × 210 × 2,5 mm Art. No.:\_**65178** 



SMOKED OAK Taupe

SOFT OAK Mid Brown

635 × 126 × 2,5 mm Art. No.:\_**65202** 

0

# **HERRINGBONE**

635 × 126 × 2,5 mm Art. No:\_**65200** 

COTTON OAK Beige

635 × 126 × 2,5 mm Art. No:\_**65201** 

0

COTTON OAK Brown

MINERAL Dark Grey

776 × 387 × 5,5 mm Art. No.:\_**65227** 0

780 × 398 × 2,5 mm Art. No::\_**65191** 0

MOON ST. Dark Grey



776 × 387 × 5,5 mm Art. No.:\_**65228** 0

780 × 398 × 2,5 mm Art. No.:\_**65192** 0

144



MARBLE White

**ROCK** 



780 × 398 × 2,5 mm Art. No.:\_**65187** 

0

780 × 398 × 2,5 mm Art. No.:\_**65183** 

0

776 × 387 × 5,5 mm Art. No.:\_**65219** 

0

LIMESTONE Grey

SCREED Beige



780 × 398 × 2,5 mm Art. No.: \_**65188** 0

CEMENT Dark Grey

TRAVERTINE Greige

776 × 387 × 5,5 mm Art. No.: \_**65225** 0

0

780 × 398 × 2,5 mm Art. No: \_**65189** 

SCREED Brown

780 × 398 × 2,5 mm Art. No.: \_**65190** 776 × 387 × 5,5 mm Art. No:\_**65226** 

0 0

# 780 × 398 × 2,5 mm Art. No.:\_**65184** 0

776 × 387 × 5,5 mm Art. No::\_**65220** 

0



780 × 398 × 2,5 mm Art. No.:\_**65185** 776 × 387 × 5,5 mm Art. No.:\_**65221** 0

MINERAL Grey

776 × 387 × 5,5 mm Art. No.:\_**65222** 0

0

780 × 398 × 2,5 mm Art. No:\_**65186** 

# 635 × 126 × 2,5 mm Art. No:\_**65199**

VELVET OAK Brown

**6**35 × 126 × 2,5 mm Art. No.:\_**65203** 

WALNUT Red Brown

**6**35 × 126 × 2,5 mm Art. No:\_**65204** 

# MARBLE White

MINERAL Dark Grey

MARBLE White

MINERAL Dark Grey



595 × 595 × 2,5 mm Art. No: \_**65149** 

**9** 595 × 595 × 2,5 mm Art. No: \_**65153** 

1190 × 595 × 2,5 mm Art. No.:\_**65193** 

0

1190 × 595 × 2,5 mm Art. No.:\_**65197** 

0

SCREED Beige

MOON ST. Dark Grey





MOON ST. Dark Grey



595 × 595 × 2,5 mm Art. No.:\_**65150** 0

**6** 595 × 595 × 2,5 mm Art. No.: **.65154** 

1190 × 595 × 2,5 mm Art. No:\_**65194** 

0

1190 × 595 × 2,5 mm Art. No.:\_**65198** 

0

145

CARRARA Grey





595 × 595 × 2,5 mm Art. No.:\_**65151** 0

1190 × 595 × 2,5 mm Art. No: \_**65195** 

0

SCREED Brown

SCREED Brown

**9** 595 × 595 × 2,5 mm Art. No:\_**65152** 

1190 × 595 × 2,5 mm Art. No:\_**65196** 

# 06\_TECHNOLOGY

# \_INSTALLATION: CLICKING OR GLUING

Choosing the right installation system can have a significant impact on the functional and aesthetic design of a room.

With *NUVA*, you can choose between "clicking" and "gluing". Both installation methods offer unique advantages and can be the best choice depending on the situation.

## Clicking

- Ready for immediate
- · Quick and easy to install
- · Recyclable
- Easy to replace individual planks
- Dimensionally stable

## Gluing

- Resistant and highly durable
- Suitable for commercial projects
- Excellent room acoustics
- Low installation height of 25 mm
- Can be installed without area restrictions





# \_HIGH-CLASS CLICKING INSTALLATION SYSTEMS

The must-have for a high-quality and technically sophisticated CERAMIN-based floor: the megaloc or easyloc quick-installation system. As proven, patented click installation systems, both megaloc and easyloc are the perfect complement to *NUVA*'s technical innovations.

The stable profile connection locks the planks reliably and securely. This ensures an increased longevity and has been convincing customers from all over the world for years.





Megaloc



Easyloc

# CERAMIN FLEX - PROFESSIONAL GLUING INSTALLATION SYSTEM

PVC-free and yet technologically just as powerful as well-known dryback solutions: CERAMIN Flex technology, which is used for all *NUVA* collections for gluing.


Just like other dryback solutions on the market, *NUVA* is fully glued to a prepared subfloor. Thanks to the direct connection with the subfloor, this results in improved room acoustics. The CERAMIN-based dryback also impresses with a renovation-friendly installation height of just 2.5 mm.

Another advantage of the CERAMIN Flex technology is that the planks do not have a predetermined installation direction. This eliminates differences in gloss level.

Glue Recommendation







NUVA offers you maximum flexibility in terms of design and application. Thanks to the modular system, you can now choose between "clicking or gluing" and can select from our wide range of products whether you want to use the decor as an innovative click system or as a dryback for full-surface gluing.



	Living	Hotel	Office	Shop	Industry
ESSENTIAL	Θ	G			
LJJENTIAL	0	O			
ETERNAL	Э	Θ	Э		
LILKNAL	0	0	<b>9</b>		
SELECTED	G	G	9	Θ	
	<b>O</b>	G	G	<b>G</b>	G
HERRINGBONE	Θ	<b>G</b>	Θ	<b>©</b>	<b>9</b>
DOCK	Θ	<b>9</b>	9	Θ	
ROCK	<b>o</b>	<b>G</b>	<b>O</b>	<b>G</b>	G

IUVA

NC

\_TECHNICAL DATA

# ESSENTIAL

Dimensions (mm):	1290 × 173 × 4,6
Profile:	Easyloc (Angle/Angle)
Bevel:	lacquered bevel
Impact sound insulation:	1 mm
Planks/box:	11
m²/box:	2,455
Boxes/pal.:	48
m²/pal.:	117,834
Usage class:	UC 32

# ETERNAL

Dimensions (mm):	1290 × 246 × 5,0
Profile:	Easyloc (Angle/Angle)
Bevel:	lacquered bevel
Impact sound insulation:	1 mm
Planks/box:	8
m²/box:	2,538
Boxes/pal.:	45
m²/pal.:	114,242
Usage class:	UC 33

## SELECTED

Dimensions (mm):	1290 × 203 × 5,5
Profile:	Megaloc Aqua Protect
Bevel:	Bevel in Wearlayer
Impact sound insulation:	1 mm
Planks/box:	9
m²/box:	2,356
Boxes/pal.:	48
m²/pal.:	113,088
Usage class:	UC 34

## HERRINGBONE

Dimensions (mm):	_
Profile:	_
Bevel:	_
Impact sound insulation:	_
Planks/box:	_
m²/box:	
III-/DOX.	_
Boxes/pal.:	_
Boxes, pain	
m²/pal.:	_
Usage class:	_

## ROCK

Dimensions (mm):	776 × 387 × 5,5
Profile:	Megaloc Aqua Protect
Bevel:	Bevel in Wearlayer
Impact sound insulation:	1 mm
Planks/box:	8
m²/box:	2,402
Boxes/pal.:	45
m²/pal.:	108,112
Usage class:	UC 34
Boxes/pal.: m²/pal.:	45 108,112

IUVA

# \_TECHNICAL DATA GLUING

# ESSENTIAL

# ETERNAL

Dimensions (mm):	1290 × 210 × 2,5
5. (1)	
Profile:	Square edge
Bevel:	Bevel in Wearlayer
bevei.	Devel III vvedilayei
Impact sound insulation:	_
Planks/box:	16
m²/box:	4,334
Boxes/pal.:	48
2/ 1	
m²/pal.:	208,032
Usage class:	UC 32
03490 01433.	0032

Dim anciana (mm)	1200 257 2.5
Dimensions (mm):	1290 × 253 × 2,5
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	_
Planks/box:	14
m²/box:	4,569
Boxes/pal.:	39
m²/pal.:	178,191
Usage class:	UC 33

## SELECTED

1290 × 210 × 2,5
Square edge
Bevel in Wearlayer
_
16
4,334
48
208,032
UC 34/42

# HERRINGBONE

Dimensions (mm):	635 × 126 × 2,5
Destile	Courses and as
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	_
Planks/box:	50
m²/box:	4,000
m-/box.	4,000
Boxes/pal.:	48
m²/pal.:	193,548
Usage class:	UC 34/42

## ROCK

Dimensions (mm):	780 × 398 × 2,5	595 × 595 × 2,5	1190 × 595 × 2,5
Profile:	Square edge	Square edge	Square edge
Bevel:	Bevel in Wearlayer	Bevel in Wearlayer	Bevel in Wearlayer
Impact sound insulation:	_	_	_
Planks/box:	15	14	8
m²/box:	4,656	4,956	5,664
Boxes/pal.:	39	40	36
m²/pal.:	181,607	198,254	203,918
Usage class:	UC 34/42	UC 34/42	UC 34/42

# O7\_SERVICE

## **\_OUR EXPERTISE**

As a family-run company that manufactures its products in Germany, we know that our customers' success is the measure of our own success. That is why we place particular emphasis on providing our partners and customers with excellent service.

## Marketing:

Now more than ever, individuality is in demand. At CLASSEN, our partners benefit from tailor-made marketing solutions. Our in-house marketing team supports you in designing your advertising material, realising your digital presence or developing your strategic direction.






## **CLASSEN Academy:**

Our extensive CLASSEN Academy training programme offers you the opportunity to become intensively familiar with our products and how to use them.

The training courses are practice-oriented and tailored to the current challenges of the industry.





# Personal contact persons:

Our service does not end with the delivery of our products. CLASSEN is at your side with individual advice and support.

Whether you have technical questions, need help choosing a product or assistance with special projects, our dedicated service team is there for you.



157

NV



The catalog does not constitute an offer within the meaning of commercial law.

Classen Floor Systems Sp. z o.o. reserves the right to modify and improve the products presented in this publication without prior notice. The information contained in this catalog is accurate at the time of publication.

The images of the decors in this catalog are not binding in terms of color and size.



## **NUVA** - Collection

06/2025

**Classen Floor Systems Sp. z o.o.** ul. Wyzwolenia 44-292 Zwonowice, Polska

www.classenfloor.pl

**CLASSEN Group** Werner-von-Siemens-Str. 18-20 56759 Kaisersesch, Niemcy

www.classengroup.com



ClassenFloorPoland Classen.Group



classen\_floor classen\_group



classen\_floor



ClassenFloor Instructions and films



Classen Cloud



Classen Competence Centre